


ipolilux
Plastik Film Sanayi ve Ticaret A.Ş.

Special BOPP films





Contact Us

Address: Ulaş OSB Mah. 105. Sk. 3/1 Ergene Tekirdag, Turkey

Sales Tel/Fax: +90 282 686 70 00 Ext. 126

Sales E-mail: Sales@polilux.com

marketing E-mail: marketing@polilux.com

Website: www.polilux.com

**POLILUX has been certified
with:**

- ISO 9001:2015**
- BRC/IOP**



Ipolilux
Plastik Film Sanayi ve Ticaret A.Ş.

Special BOPP films



PRODUCTS OVERVIEW

Product group	Film Code	Description
IML Labels	LPF 432	High yield BOPP film for in-mold labeling
	LPG 432	High stiff BOPP film for in-mold labeling
	LPH 432	High yield BOPP film with less orange peel effect
	LPI 332	High glossy smooth solid white BOPP film for in-mold labeling
	LPS 332	Smooth white BOPP film for in-mold labeling
	LPO 532	Matt BOPP film for in-mold labeling
	LPB 132	Transparent BOPP film for in-mold labeling
WAL Labels	LRT 131	Transparent BOPP film for wrap around labeling
	LRT 431	Pearlized BOPP film for wrap around labeling
	LRM 431	Pearlized-Metalized BOPP film for wrap around labeling
Flexible Packaging Transparent & Matt	TBJ 131	Excellent clarity film for cold seal packaging
	TBK 121	Both sides heat sealable, general purpose packaging film for using on HFFS and VFFS packaging machines
	TOK 521	Both sides heat sealable matt film
Flexible Packaging Metalized	TMK 811	Metalized BOPP film for with Excellent heat-seal strength
	TMJ 832	Both sides treated metalized film for cold seal packaging
Flexible Packaging Pearlized	UHE 421	Low SIT heat sealable, white opaque cavitated film
	THK 421	General purpose heat sealable, white opaque cavitated film
	TKJ 432	Both Sides treated pearl film for cold seal Packaging
Textile	TBA 131	Transparent film with excellent clarity for textile packaging
Dead-fold	DHM 431	Pearlized-Metalized BOPP film for margarin packaging
Adhesive tape	TBZ 131	Low haze transparent film for adhesive tape production

Product Portfolio

IML

POLILUX offers a variety of high quality BOPP films specially for in mold labeling application, in different appearances and various types with excellent printability, easy die-cutting and good anti-static performance.



Film Code	Thickness (µm)	Density (g/cm ³)	Yield (m ² /kg)	Description
LPF 432	50, 60, 65, 70	0.55	36.3, 30.3, 27.9, 25.9	High yield pearlized, orange peel effect, for small containers
LPG 432	50, 60, 70	0.82	24.3, 20.3, 17.4	High stiff pearlized, Smooth finish, for rather big containers
LPH 432	50, 60	0.61	32.7, 27.3	Pearlized, Satin finish, for small containers
LPI 332	50, 53, 57	0.96	20.8, 19.6, 18.2	Solid white film with brilliant glossy white finish
LPS 332	50, 60, 65, 68, 70	0.9	22.2, 18.5, 17.1, 16.3, 15.8	Semi-Solid white film, for rather big containers
LPO 532	50, 57	0.89	22.4, 19.7	Matt IML film
LPB 132	50, 57	0.91	21.9, 19.2	Transparent Glossy IML film



Product Portfolio

polilux
Plastik Film Sanayi ve Ticaret A.Ş.

**Address: Ulaş OSB Mah. 105. Sk. 3/1 Ergene
Tekirdag, Turkey**

Sales Tel/Fax: +90 282 686 70 00 Ext. 126

Sales E-mail: Sales@polilux.com

Marketing E-mail: marketing@polilux.com

Website: www.polilux.com

About Us

Polilux is a dynamic young manufacturing company backed by old experiences of a highly specialized team, In Turkey. Since its foundation in 2016, Polilux has continued to enrich its services and provide its customers with excellent quality products. With an annual capacity of 30000 MT, Polilux is also equipped with a state-of-the art 8000 MT metalizing machine.

By relying on our expert employees and utilizing modern technologies, Polilux delivers solution oriented services and high quality films used in flexible packaging, labeling and other applications with different thicknesses.



Product Portfolio

Flexible Packaging

POLILUX offers a variety of high quality BOPP films specially for packaging of food products such as snacks, ice creams, candies, etc. with different seal-ability options and suitable surface treatments for printing process.



Product group	Film Code	Thickness (µm)	Yield (m2/kg)	Description
Metalized	TMK 811	20, 30	54.9, 36.6	Heat-sealable metalized film
	TMJ 832	20, 30	54.9, 36.6	Both sides treated metalized film for cold seal packaging
Transparent & Matt	TBJ 131	20	54.9	Plain transparent film for cold-seal packaging
	TBK 121	20, 25, 30, 40	54.9, 43.9, 36.6, 27.5	Both sides heat-sealable general purpose film
	TOK 521	20, 25	57.5, 46	Heat-sealable matt film
Pearlized	UHE 421	25, 30, 35	57.1, 47.6, 40.8	Low SIT Pearl film for high-speed packaging machines
	THK 421	25	55	Heat-sealable pearl film for lamination and normal packaging
	TKJ 432	30, 35	47.6, 40.8	Both sides treated pearl film for cold seal packaging
WAL	LRT 131	40	27.4	Transparent, anti-static film for high speed wrap-around labeling machines
	LRT 431	38	38.7	Pearl, anti-static film for high speed wrap-around labeling machines
	LRM 431	38	38.7	Pearlized-Metalized film for high speed wrap-around labeling machines
Dead-fold	DHM 431	80	20.8	Pearlized-Metalized film for margarin packaging



Product Portfolio

polilux
Plastik Film Sanayi ve Ticaret A.Ş.

**Address: Ulaş OSB Mah. 105. Sk. 3/1 Ergene
Tekirdag, Turkey**
Sales Tel/Fax: +90 282 686 70 00 Ext. 126
Sales E-mail: Sales@polilux.com
Marketing E-mail: marketing@polilux.com
Website: www.polilux.com